Upgrading Water Treatment Plants

E. G. Wagner and R. G. Pinheiro

67/17902

Published on behalf of the

WORLD HEALTH ORGANIZATION

SPON PRESS
Taylor & Francis Group

London and New York

OFFICE INTERNATIONAL DE L'EAU
SNIDE

TABLE OF CONTENTS

Foreword ix

Acknowledgements xi

Chapter 1 BASIC REQUIREMENTS FOR OPTIMISATION 1

1.1 Introduction 1
1.2 Personnel 1
1.3 Management structure 4
1.4 Plant maintenance 5
1.5 Housekeeping 7

Chapter 2 ASSESSING PLANT PERFORMANCE AND IDENTIFYING DEFECTS 9

2.1 Observing plant operation 9
2.2 Raw water intake 10
2.3 Raw water metering 10
2.4 Coagulant handling 11
2.5 Flocculation systems 14
2.6 Settling basins 17
2.7 Filters 19
2.8 Disinfection 21
2.9 Stabilisation 22
2.10 Checklist for plant review 24

Chapter 3 WATER ANALYSIS FOR TREATMENT CONTROL 25

3.1 Physical variables 25
3.2 Biological variables 27
3.3 Chemical variables and contamination 28
3.4 Laboratory analysis 33

Chapter 4 IMPROVING PLANTS AND THEIR OPERATION 39

4.1 Plant records 39
4.2 Raw water intake and flow 39
4.3 Rehabilitation of the chemical building 41
4.4 Pretreatment units 43
4.5 Filter rehabilitation 48

4.6 Filter operation 51
4.7 Stabilisation 55

Chapter 5 DETERMINING DESIGN PARAMETERS 59
5.1 Introduction to bench scale testing 59
5.2 Design and process parameters 61
5.3 Equipment and laboratory space 66
5.4 Testing in the laboratory for conventional treatment 67
5.5 Testing in the laboratory for direct filtration 79
5.6 Sampling for determination of treatment plant performance 83
5.7 Pilot plants 90
5.8 Treatment plant as a pilot plant 102

Chapter 6 DISINFECTION 109
6.1 Choice of process 109
6.2 Health risks of chlorine 109
6.3 Design of chlorination facilities 110

Chapter 7 OPTIMISING AND UPGRADING TREATMENT PLANTS 129
7.1 Applying new technology 129
7.2 Optimising the treatment process and plant performance 130
7.3 Design information 132

Chapter 8 OPTIMISATION AND UPGRADING OF A PLANT FROM 100 l s^{-1} TO 250 l s^{-1} 145
8.1 Assessment of existing plant 145
8.2 Characteristics of the upgraded plant 149
8.3 Inlet chamber 153
8.4 Initial mixing of coagulant and raw water 153
8.5 Flocculation 154
8.6 Distribution of flocculated water to settling basins 160
8.7 Settling basin 163
8.8 Filters 173
8.9 Summary 177

Chapter 9 OPTIMISATION AND UPGRADING OF A PLANT FROM 1 m^3 s^{-1} TO 2.5 m^3 s^{-1} 179
9.1 Assessment of existing plant 179
9.2 Modifications required for upgrading and optimisation 182
9.3 Design of modifications 185

Chapter 10 OPTIMISATION AND UPGRADING OF A PLANT FROM 20 l s^{-1} TO 50 l s^{-1} **207**

10.1 Assessment of original plant 207

10.2 Plant performance 209

10.3 Upgrading parameters determined by jar testing 210

10.4 Design of modifications for upgrading and optimisation 211

Appendix I SOURCES OF FURTHER INFORMATION **217**

Appendix II GLOSSARY OF TERMS **221**

Index **225**